

# NEXT FX, INC. SAFETY DATA SHEET

CANNON SIMULATOR, CANNON FLASH, FLASH EMITTING DEVICE (FED) & SPARKLE CANNON SECTION I: PRODUCT & MANUFACTURER IDENTIFICATION

PRODUCT IDENTIFIER

CANNON SIMULATOR, SPARKLE CANNON, CANNON FLASH, PHOTONS, FLASH Emitting Device (FED), (All sizes)

#### PRODUCT USE;

THEATRICAL PYROTECHNICS AND SPECIAL EFFECTS. SOME DEVICE VARIANTS WILL EXPEL BURNING PROJECTIONS AND CREATE EXTREMELY LOUD REPORT.

MANUFACTURERS NAME;

DISTRIBUTED BY: NEXT FX, INC. MFG. BY: STAGE FX, INC.		INC.		
STREET ADDRE	:55;	Сітч;	STATE	
184 McN	ALEY ROAD	COLUMBUS	MT - USA	
ZIP CODE;	TELEPHONE NUMBER;	EMERGENCY NUMBERS;		
59019	(406)322-1303	DOMESTIC - (800)25	DOMESTIC - (800)255-3924	
		INTER +01 (813)	248-0585	

### SECTION II: HAZARDS IDENTIFICATION

WHMIS CLASSIFCATION/GHS CLASSIFCATION: EXPLOSIVE CLASS 1.4 WARNING HAZARD STATEMENT: FIRE OR PROJECTION HAZARD PRECAUTIONARY STATEMENTS: PREVENTION: KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES/STRAY ELECTRICAL CURRENTS - "No Smoking" RESPONSE: IN CASE OF FIRE: EVACUATE AREA EXPLOSION RISK IN CASE OF FIRE DO NOT FIGHT FIRE WHEN FIRE HAS REACHED EXPLOSIVE PRODUCT. PRODUCT USE: BURNING PROJECTIONS CAN AND WILL IGNITE COMBUSTIBLE MATERIALS. HEIGHT & RADIAL SAFETY DISTANCES SHOULD BE APPLIED. REFER TO LABEL OR MANUFACTURER FOR APPROPRIATE SAFETY DISTANCES FOR SPECIFIC PRODUCT. "FOR PROFESSIONAL USE ONLY" NOT FOR CONSUMER OR RETAIL SALES. SALES TO PERSONS UNDER (18) YEARS PROHIBITED. POTENTIAL ACUTE HEALTH EFFECTS: DEVICE COULD CAUSE SERIOUS BURN & PHYSICAL INJURIES IF INCORRECTLY USED. POTENTIAL CHRONIC HEALTH EFFECTS: THERE ARE NO CHRONIC AFFECTS FROM HANDLING THIS PRODUCT APPROPRIATELY. SEE APPROPRIATE MSDS FOR COMPONENT INGREDIENTS. REPEATED USE WITHOUT HEARING PROTECTION MAY CAUSE TEMPORARY HEARING LOSS.



# NEXT FX, INC. SAFETY DATA SHEET

CANNON SIMULATOR, CANNON FLASH, FLASH EMITTING DEVICE (FED) & SPARKLE CANNON

NATIONAL FIRE PROTECTION ASSOCIATION RATINGS; HEALTH HAZARD - 1 FLAMMABILITY - 3 REACTIVITY - 2 SPECIAL - 0

### SECTION III: COMPOSITION/INGREDIENT INFORMATION

HAZARDOUS INGREDIENTS	%	CAS NUMBER
SILICON DIOXIDE, (FUMED SILICA)	*	112945-52-5
STRONTIUM NITRATE	*	10042-76-9
MAGNESIUM	*	7439-95-4
SODIUM NITRATE	*	7631-99-4
BARIUM NITRATE	*	10022-31-8
ΤΙΤΑΝΙUΜ	*	7440-32-6
POTASSIUM NITRATE	*	7757-79-1
SULFUR	*	7704-34-9
CHARCOAL	*	7440-44-0
ALUMINUM	*	7429-90-5

\* INGREDIENT PERCENTAGES ARE COMPANY PROPRIETARY.

#### SECTION IV: FIRST AID MEASURES

ROUTES OF ENTRY; X SKIN CONTACT - SKIN ABSORPTION X EYE CONTACT X INHALATION X INGESTION
SKIN CONTACT;
PRODUCT ITSELF DOES NOT HAVE ANY SKIN CONTACT HAZARDS. SERIOUS
BURNS COULD TAKE PLACE IF ACCIDENTAL IGNITION. CONTENTS (IF SPILLED)
SHOULD BE WASHED IMMEDIATELY FROM EXPOSED AREA WITH PLENTY OF
SDAP AND WATER.
EYE CONTACT;
PRODUCT ITSELF DOES NOT HAVE ANY EYE CONTACT HAZARDS. SERIOUS EYE
INJURIES COULD RESULT IF ACCIDENTAL IGNITION OCCURS. (IF CONTENTS
ARE SPILLED) FLUSH EYES FOR A MINIMUM OF 15 MINUTES. IF IRRITATION
PERSISTS, SEEK MEDICAL ATTENTION.
INHALATION;
PRODUCT ITSELF DOES NOT PRESENT AN INHALATION HAZARD. SMOKE FROM
DEVICE FUNCTIONING MAY CAUSE IRRITATION IF USED WITHIN NON-
VENTILATED OR SMALL CONFINED SPACES.
INGESTION;
PRODUCT ITSELF DOES NOT PRESENT AN INGESTION HAZARD. IF CONTENTS
ARE ACCIDENTALLY INGESTED, SEEK MEDICAL ATTENTION AS SOON AS
POSSIBLE.
ACUTE HEALTH EFFECTS;
SOME INGREDIENTS ARE CONSIDERED IRRITANTS AND SHOULD BE HANDLED
AS SUCH IF EXPOSED.
CHRONIC HEALTH EFFECTS;
THERE ARE NO CHRONIC AFFECTS FROM THE HANDLING OF THIS PRODUCT.
ALTHOUGH REPEATED CLOSE PROXIMITY USE (WITHOUT HEARING PROTECTION)
COULD CAUSE HEARING LOSS.



## NEXT FX, INC. SAFETY DATA SHEET

CANNON SIMULATOR, CANNON FLASH, FLASH EMITTING DEVICE (FED) & SPARKLE CANNON SECTION V: FIRE FIGHTING MEASURES & RELATED INFORMATION

FLAMMABILITY;	NFPA RATING;	
ALL PYROTECHNICS ARE HIGHLY FLAMMABLE	4 – SEVERE HAZARD	
GENERAL FIRE HAZARDS;		
PYROTECHNIC COMPOSITIONS/DEVICES BURN VIOLENTLY AND ARE SELF-		
OXIDIZED. FASTER BURNING COMPOSITIONS MAY RE	ACH DETONATION LEVELS	
DEPENDENT UPON COMPOSITION, PACKAGED	CONFIGURATION AND/OR	
CONTAINMENT.		
MEANS OF EXTINGUISHMENT;		
PYROTECHNICS ARE SELF-OXIDIZED AND CANNOT	BE EXTINGUISHED WITH	
NORMAL MEANS. DO NOT FIGHT FIRES INVOLVING	THE DEVICES. INCIPIENT	
FIRES MAY BE FOUGHT. DO NOT USE SUFFOCATION METHODS, CLEAR AREA OF		

PERSONNEL!

### SECTION VI: ACCIDENTAL RELEASE MEASURES

CONTAINMENT PROCEDURES; DEVICES MAY BE GENTLY PICKED UP AND RE-PACKAGED IN ORIGINAL PACKAGING OR EQUIVALENT. IN CASE PYROTECHNIC COMPOSITION IS SPILLED: KEEP AWAY FROM ANY POSSIBLE IGNITION SOURCES SUCH AS OPEN FLAMES, SPARKS AND NON-RATED ELECTRICAL DEVICES. PREVENT POSSIBLE ELECTROSTATIC DISCHARGES (FOR EXAMPLE: DO NOT USE A SYNTHETIC DUSTPAN AND BRUSH).

CLEAN-UP PROCEDURES; PACKAGED DEVICES CAN BE PICKED UP GENTLY. FOR SPILLED MATERIAL, WHICH MAY BE RELEASED ACCIDENTALLY, FLOOD AREA WITH WATER AND USE CONDUCTIVE OR NATURAL MATERIAL UTENSILS FOR PICK-UP. PLACE INTO A CLOSED CONDUCTIVE CONTAINER FOR DISPOSAL.

#### SECTION VII: HANDLING AND STORAGE

HANDLING PROCEDURES AND EQUIPMENT;

ALL PYROTECHNICS SHOULD BE HANDLED WITH CAUTION. AVOID OPEN FLAMES, SMOKING, FRICTION, IMPACT, EXCESSIVE HEAT, ELECTROSTATIC DISCHARGES, RADIO FREQUENCY INTERFERENCE AND MOISTURE, (HUMIDITY). SAFETY INSTRUCTIONS INCLUDED IN PACKAGING. IN SOME CASES, UNPACKAGED OR EXPLOSIVE/PYROTECHNIC MATERIALS PACKAGED IN OTHER THEN ORIGINAL PACKAGING MAY HAVE TO BE HANDLED AS A HIGHER HAZARD. I.E. 1.1 OR 1.3 CLASSIFICATION.

STORAGE REQUIREMENTS;

STORE IN A COOL, WELL VENTILATED, AND DRY AREA. DEPENDENT UPON APPLICATION, SEPARATION DISTANCES AND SECURITY MEASURES ARE TO BE COMPLIED WITH. STORAGE COMPATIBILITY SHOULD BE MAINTAINED IN ACCORDANCE WITH FEDERAL REGULATIONS.



184 MCNALEY ROAD COLUMBUS, MT 59019 (406)322-1303

# NEXT FX, INC. SAFETY DATA SHEET

### CANNON SIMULATOR, CANNON FLASH, FLASH EMITTING DEVICE (FED) & SPARKLE CANNON SECTION VIII: EXPOSURE CONTROL/PERSONAL PROTECTION

EXPOSURE LIMITS:	ACGIH TLV = N/A	OSHA PEL = N/A	$\Box THER = N/A$
ENGINEERING CONTROLS;			
DEVICES NEED TO	BE USED IN A VENT	ILATED AREA FOR RE	EMOVAL OF SMOKE.
Some INGREDIENT	S MAY HAVE EXF	POSURE CONTROLS.	THE FOLLOWING
CHEMICALS HAVE EXPOSURE LEVELS LISTED ON SPECIFIC MSDS, (THESE			
PEL'S ARE ONLY APPLICABLE DURING MANUFACTURING);			
BARIUM NITRATE			
ALUMINUM			
PERSONAL PROTECTIVE EQU	IPMENT;		
SAFETY GLASSES	ARE REQUIRED	WHEN HANDLING.	PREVENTION OR
REDUCTION OF STATIC ELECTRICITY SHOULD BE ACCOMPLISHED BY WEARING			
ALL COTTON CLOTH	ALL COTTON CLOTHING.		

#### PHYSICAL STATE; DDDR & APPEARANCE; SPECIFIC GRAVITY; SOLID NORMALLY BLACK TUBE N/A - No Odor ODOR THRESHOLD; VISCOSITY; PARTITION COEFFICIENT; (N-OCTONAL/WATER) N/A N/A N/A VAPOR DENSITY; (AIR=1) VAPOR PRESSURE; (MM/HG) EVAPORATION RATE; N/A N/A N/A BOILING POINT; (°C) FREEZING POINT; (°C) PH: N/A N/A N/A SOLUBILITY IN WATER: MELTING POINT: VOC: PYROTECHNICS WILL N/A N/A REACH AUTO-IGNITION TEMPERATURE BEFORE MELTING FLASHPOINT; UPPER FLAMMABLE LIMITS; LOWER FLAMMABLE LIMITS; N/A N/A N/A AUTO-IGNITION TEMPERATURE; SENSITIVITY TO IMPACT; SENSITIVITY TO ELECTROSTATIC; APPROX. - $440^{\circ}$ C N/A ONLY WHEN DEVICE IS UN-SHUNTED.

### SECTION IX: PHYSICAL PROPERTIES

### SECTION X: STABILITY & REACTIVITY

CHEMICAL STABILITY;		IF UNSTABLE, UNDER WHAT CONDITIONS;	
X STABLE UNSTABL	E		
Incompatibilities or Conditions to Avoid;			
Ignition Sources.			
Possibility of Hazardous Reaction;			
VERY LOW WHEN DEVICE IS SHUNTED OR SHORT CIRCUITED. LOW POSSIBILITY			
WHEN UN-SHUNTED.			
REACTIVITY;			
LOOSE COMPOSITION IS VERY REACTIVE TO SOURCES OF IGNITION.			



184 MCNALEY ROAD COLUMBUS, MT 59019 (406)322-1303

# NEXT FX, INC. SAFETY DATA SHEET

### CANNON SIMULATOR, CANNON FLASH, FLASH EMITTING DEVICE (FED) & SPARKLE CANNON

HAZARDOUS DECOMPOSITION;

DECOMPOSITION DOES NOT OCCUR UNDER NORMAL CIRCUMSTANCES DURING STORAGE, TRANSPORT AND HANDLING. UPON FUNCTIONING, THIS DEVICE CAN PRODUCE NITRATES AND OTHER OXIDES.

### SECTION XI: TOXICOLOGICAL INFORMATION

CARCINDGENICITY - IARC;	CARCINOGENICITY - ACGIH;		
THESE DEVICES MAY CONTAIN KNOWN	THESE DEVICES MAY CONTAIN KNOWN		
OR SUSPECTED CARCINOGENS. THE	OR SUSPECTED CARCINOGENS. THE		
FOLLOWING LIST OF CHEMICALS ARE	FOLLOWING LIST OF CHEMICALS ARE		
CLASSIFIABLE AND YOU SHOULD	CLASSIFIABLE AND YOU SHOULD		
REFER TO SPECIFIC MSDS FOR	REFER TO SPECIFIC MSDS FOR		
ADDITIONAL INFORMATION;	ADDITIONAL INFORMATION;		
SILICON DIOXIDE			
ROUTES OF ENTRY;			
(ONLY SPILLED COMPOSITIONS) INHALATION & INGESTION			
MEASURES OF TOXICITY; (INGREDIENTS ONLY)			
SILICON DIOXIDE - (ORAL), LD50 (RAT) 3160 MG/KG			
STRONTIUM NITRATE - (ORAL), LD50 (RAT) 1892 MG/KG			
Magnesium – (Oral), LD50 (Rat) 230 mg/kg			
SODIUM NITRATE - (ORAL), LD50 (RAT) 1267 MG/KG			
BARIUM NITRATE - (ORAL), LD50 (RAT) 355 MG/KG			
POTASSIUM NITRATE - (ORAL), LD50 (RAT) 3015 MG/KG			
SULFUR - (INHALATION), (LC50 (RAT) >9.23 MG/L 4H, (ORAL), LD50 (RAT)			
>3000 mg/kg, (Dermal), LD50 (Rabbit) >2000 mg/kg			
CHARCOAL - (ORAL), LD50 (RAT) >10,000 MG/KG			
CHRONIC EFFECTS ON HUMANS; (INGREDIENTS ONLY)	ACUTE EFFECTS ON HUMANS; (INGREDIENTS ONLY)		
(SEE INGREDIENT SDS)	(SEE INGREDIENT SDS)		
OTHER TOXIC EFFECTS ON HUMANS; (SKIN CORROSION/IRRITATION, EYE DAMAGE/IRRITATION, RESPIRATORY OR			
SKIN SENSITIZER, OR ASPIRATION HAZARDS)			
N/A			
GERM CELL MUTAGENICITY;	REPRODUCTIVE TOXICITY;		
N/A	N/A		
STOT - SINGLE EXPOSURE;	STOT - REPEATED EXPOSURE;		
N/A	N/A		
SYMPTOMS OF OVEREXPOSURE;			
NO OVEREXPOSURE HAZARDS ASSOCIATED WITH THE DEVICE OR PRODUCT.			

### SECTION XII: ECOLOGICAL INFORMATION

Εσοτοχισιτγ;	BOD5 & COD;		
THE FOLLOWING LIST OF CHEMICALS	NOT AVAILABLE		
MAY HAVE ADDITIONAL ECOTOXICITY			
INFORMATION ON THEIR SPECIFIC			
MSDS;			
SODIUM NITRATE			
PRODUCTS OF DEGRADATION;			
POSSIBLY HAZARDOUS SHORT TERM,	, DEGRADATION PRODUCTS ARE NOT		
LIKELY.			



# NEXT FX, INC. SAFETY DATA SHEET

### CANNON SIMULATOR, CANNON FLASH, FLASH EMITTING DEVICE (FED) & SPARKLE CANNON

Toxicity of the Products of Biodegradation:			
THE PRODUCTS OF DEGRADATION A	RE LESS TOXIC THAN THE PRODUCT		
ITSELF.			
OTHER ADVERSE AFFECTS;			
NOT AVAILABLE			
BIDACCUMULATION: MOBILITY IN SOIL;			
N/A N/A			

### SECTION XIII: DISPOSAL CONSIDERATIONS:

EPA WASTE CODES APPLICABLE; UNUSED DEVICES WILL EXHIBIT THE CHARACTERISTICS OF REACTIVITY IN ACCORDANCE WITH 40 CFR. D003 WOULD BE APPLICABLE IF <u>DEVICES</u> ARE CONSIDERED WASTE. WASTE DISPOSAL;

WASTES MUST BE DISPOSED OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. AS STATED ABOVE, UNUSED DEVICE DOES EXHIBIT A DEPICTED RCRA CHARACTERISTIC AS BY 40 CFR OTHER INTERNATIONAL REGULATIONS. BEST SUITED FOR INCINERATION AT A LICENSED EXPERIENCED DISPOSAL FACILITY. Used DEVICES MAY BE DISPOSED OF IN STANDARD REFUSE CONTAINER.

### SECTION XIV: TRANSPORTATION INFORMATION

PROPER SHIPPING NAME & TECHNICAL NAME;
ARTICLES, PYROTECHNIC

SPECIAL PROVISIONS FOR TRANSPORT;

IN CASE OF AN ACCIDENT, THE ERG SHOULD BE CONSULTED FOR EMERGENCY PROCEDURES. EVACUATION WILL BE NECESSARY IF ACCIDENT HAS INVOLVED MULTIPLE DEVICES IN A FIRE OR THE POTENTIAL FOR A FIRE EXISTS.

#### SECTION XV: REGULATORY INFORMATION:

FEDERAL & STATE REGULATIONS; REGULATIONS GOVERNING THE MANUFACTURING, USE AND SALE OF PYROTECHNICS AND/OR CHEMICALS ARE APPLICABLE TO THIS PRODUCT LINE. PLEASE CONTACT YOUR DISTRIBUTOR OR THE MANUFACTURER FOR SPECIFIC REGULATIONS IF YOU HAVE QUESTIONS. OTHER REGULATIONS;

**OSHA:** HAZARDOUS BY DEFINITION OF HAZARD COMMUNICATION STANDARD (29)CFR 1910.1200). EINECS: SOME DF THE COMPOSITIONAL INGREDIENTS ARE ON THE EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES. INGREDIENTS MAY HAVE SPECIFIC FEDERAL, STATE LOCAL REGULATIONS GOVERNING THRESHOLDS AND HANDLING DR PROCEDURES AND ONLY APPLY TO THE MANUFACTURING OF THESE ITEMS. IF ONE OF THE INGREDIENTS IN THESE DEVICES IS POTASSIUM PERCHLORATE,



# NEXT FX, INC. SAFETY DATA SHEET

### CANNON SIMULATOR, CANNON FLASH, FLASH EMITTING DEVICE (FED) & SPARKLE CANNON

THE STATE OF CALIFORNIA REQUIRES THAT THIS WARNING BE GIVEN - "SOME PRODUCTS MAY CONTAIN PERCHLORATES. SPECIAL HANDLING MAY APPLY! SEE <u>WWW.DTSC.CA.GOV/HAZARDOUSWASTE/PERCHLORATE.</u>"

### SECTION XVI: OTHER INFORMATION

The information above is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, expressed or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall Next FX, Inc. or its affiliates be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential or exemplary damages, howsoever arising, even if Next FX, Inc. Affiliates or Consultants have been advised of the possibility of such damages.

DATE PREPARED;	PREPARED BY;	TELEPHONE NUMBER;
18 SEPT. 2013	DENNIS SLICER	(406)322-1304