

184 MCNALEY ROAD COLUMBUS, MT 59019 (406)322-1303

FLASH TRAYS, (ALL COLORS & EFFECTS) SECTION I: PRODUCT & MANUFACTURER IDENTIFICATION

ZIP CODE; 59019	TELEPHONE NUMBER; (406)322-1303	EMERGENCY NUMBERS; DOMESTIC - (800)2	
184 MCNA	•	COLUMBUS	MT - USA
MANUFACTURERS NAME; DISTRIBUTED BY: NEXT FX, INC. MFG. BY: STAGE FX, INC.			
PROJECTIONS.			
BURST OF COLOR AND/OR SPARKS. DEVICE WILL EXPEL BURNING			
THEATRICAL PYROTECHNICS AND SPECIAL EFFECTS. DEVICE RELEASES A			
PRODUCT USE;			
FLASH TRAY			
PRODUCT IDENTIFIER			

SECTION II: HAZARDS IDENTIFICATION

WHMIS CLASSIFCATION/GHS CLASSIFCATION: EXPLOSIVE CLASS 1.4





WARNING

HAZARD STATEMENT: FIRE OR PROJECTION HAZARD

PRECAUTIONARY STATEMENTS:

PREVENTION;

KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES/STRAY ELECTRICAL CURRENTS - "No Smoking"

RESPONSE;

IN CASE OF FIRE: EVACUATE AREA EXPLOSION RISK IN CASE OF FIRE

DO NOT FIGHT FIRE WHEN FIRE HAS REACHED EXPLOSIVE PRODUCT.

PRODUCT USE:

BURNING PROJECTIONS CAN AND WILL IGNITE COMBUSTIBLE MATERIALS. HEIGHT & RADIAL SAFETY DISTANCES SHOULD BE APPLIED. REFER TO LABEL OR MANUFACTURER FOR APPROPRIATE SAFETY DISTANCES FOR SPECIFIC PRODUCT. "FOR PROFESSIONAL USE ONLY" NOT FOR CONSUMER OR RETAIL SALES.

SALES TO PERSONS UNDER (18) YEARS PROHIBITED.

POTENTIAL ACUTE HEALTH EFFECTS:

DEVICE COULD CAUSE SERIOUS BURN INJURIES IF INCORRECTLY USED.

POTENTIAL CHRONIC HEALTH EFFECTS:

THERE ARE NO CHRONIC AFFECTS FROM HANDLING THIS PRODUCT APPROPRIATELY. SEE APPROPRIATE SDS FOR COMPONENT INGREDIENTS.



(406)322-1303

NEXT FX, INC. SAFETY DATA SHEET

FLASH TRAYS, (ALL COLORS & EFFECTS)

NATIONAL FIRE PROTECTION ASSOCIATION RATINGS;

HEALTH HAZARD - 1 FLAMMABILITY - 3 REACTIVITY - 0 SPECIAL - 0

SECTION III: COMPOSITION/INGREDIENT INFORMATION

HAZARDOUS INGREDIENTS	%	CAS NUMBER
POTASSIUM PERCHLORATE	*	7778-74-7
TITANIUM	*	7440-32-6
SODIUM NITRATE	*	7631-99-4
MAGNESIUM CARBONATE	*	546-93-0
MAGNESIUM	*	7439-95-4
STRONTIUM CARBONATE	*	1633-05-2
PARLON, (CHLORINATED RUBBER)	*	9006-03-5
POTASSIUM NITRATE	*	7757-79-1
SULFUR	*	7704-34-9
ANTIMONY SULFIDE	*	1345-04-6
DEXTRIN	*	9004-53-9
CHARCOAL	*	7440-44-0
ALUMINUM	*	7429-90-5
SODIUM BICARBONATE	*	144-55-8
STRONTIUM NITRATE	*	10042-76-9
BARIUM NITRATE	*	10022-31-8
PVC, CHLOROETHYLENE POLYMER	*	9002-86-2

^{*} Ingredient percentages are company proprietary. Chemical Ingredient list may vary with specific customer coloration requirements and may not be all inclusive.

SECTION IV: FIRST AID MEASURES

ROUTES OF ENTRY; X SKIN CONTACT - SKIN ABSORPTION X EYE CONTACT X INHALATION X INGESTION

SKIN CONTACT;

PRODUCT ITSELF DOES NOT HAVE ANY SKIN CONTACT HAZARDS. SERIOUS BURNS COULD TAKE PLACE IF ACCIDENTAL IGNITION. CONTENTS (IF SPILLED) SHOULD BE WASHED IMMEDIATELY FROM EXPOSED AREA WITH PLENTY OF SOAP AND WATER.

EYE CONTACT;

PRODUCT ITSELF DOES NOT HAVE ANY EYE CONTACT HAZARDS. SERIOUS EYE INJURIES COULD RESULT IF ACCIDENTAL IGNITION OCCURS. (IF CONTENTS ARE SPILLED) FLUSH EYES FOR A MINIMUM OF 15 MINUTES. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

INHALATION;

PRODUCT ITSELF DOES NOT PRESENT AN INHALATION HAZARD. SMOKE FROM DEVICE FUNCTIONING MAY CAUSE IRRITATION IF USED WITHIN NON-VENTILATED OR SMALL CONFINED SPACES.

INGESTION

PRODUCT ITSELF DOES NOT PRESENT AN INGESTION HAZARD. IF CONTENTS ARE ACCIDENTALLY INGESTED, SEEK MEDICAL ATTENTION AS SOON AS POSSIBLE.



(406)322-1303

NEXT FX, INC. SAFETY DATA SHEET

FLASH TRAYS, (ALL COLORS & EFFECTS)

ACUTE HEALTH EFFECTS;

SOME INGREDIENTS ARE CONSIDERED IRRITANTS AND SHOULD BE HANDLED AS SUCH IF EXPOSED. THE FOLLOWING IS A LIST OF THOSE INGREDIENTS;

BARIUM NITRATE

ALUMINUM

CHRONIC HEALTH EFFECTS;

THERE ARE NO CHRONIC AFFECTS FROM THE HANDLING OF THIS PRODUCT.

SECTION V: FIRE FIGHTING MEASURES & RELATED INFORMATION

FLAMMABILITY; NFPA RATING;

ALL PYROTECHNICS ARE HIGHLY FLAMMABLE 3 - MAJOR HAZARD

GENERAL FIRE HAZARDS;

PYROTECHNIC COMPOSITIONS/DEVICES BURN VIOLENTLY AND ARE SELF-OXIDIZED. FASTER BURNING COMPOSITIONS MAY REACH DETONATION LEVELS DEPENDENT UPON COMPOSITION, PACKAGED CONFIGURATION AND/OR CONTAINMENT. BURNING PROJECTIONS CAN AND WILL IGNITE COMBUSTIBLE MATERIALS. ALTITUDE AND RADIAL SAFETY DISTANCES SHOULD BE APPLIED.

MEANS OF EXTINGUISHMENT;

PYROTECHNICS ARE SELF-OXIDIZED AND CANNOT BE EXTINGUISHED WITH NORMAL MEANS. DO NOT FIGHT FIRES INVOLVING THE DEVICES. INCIPIENT FIRES MAY BE FOUGHT. DO NOT USE SUFFOCATION METHODS, CLEAR AREA OF PERSONNEL!

SECTION VI: ACCIDENTAL RELEASE MEASURES

CONTAINMENT PROCEDURES;

DEVICES MAY BE GENTLY PICKED UP AND RE-PACKAGED IN ORIGINAL PACKAGING OR EQUIVALENT. IN CASE PYROTECHNIC COMPOSITION IS SPILLED: KEEP AWAY FROM ANY POSSIBLE IGNITION SOURCES SUCH AS OPEN FLAMES, SPARKS AND NON-RATED ELECTRICAL DEVICES. PREVENT POSSIBLE ELECTROSTATIC DISCHARGES (FOR EXAMPLE: DO NOT USE A SYNTHETIC DUSTPAN AND BRUSH).

CLEAN-UP PROCEDURES;

PACKAGED DEVICES CAN BE PICKED UP GENTLY. FOR SPILLED MATERIAL, WHICH MAY BE RELEASED ACCIDENTALLY, FLOOD AREA WITH WATER AND USE CONDUCTIVE OR NATURAL MATERIAL UTENSILS FOR PICK-UP. PLACE INTO A CLOSED CONDUCTIVE CONTAINER FOR DISPOSAL.

SECTION VII: HANDLING AND STORAGE

HANDLING PROCEDURES AND EQUIPMENT;

ALL PYROTECHNICS SHOULD BE HANDLED WITH CAUTION. AVOID OPEN FLAMES, SMOKING, FRICTION, IMPACT, EXCESSIVE HEAT, ELECTROSTATIC DISCHARGES, RADIO FREQUENCY INTERFERENCE AND MOISTURE. DO NOT AIM OPEN END OF THE DEVICE TOWARDS PERSONNEL OR COMBUSTIBLE MATERIALS. SAFETY INSTRUCTIONS INCLUDED IN PACKAGING.



(406)322-1303

NEXT FX, INC. SAFETY DATA SHEET

FLASH TRAYS, (ALL COLORS & EFFECTS)

STORAGE REQUIREMENTS;

STORE IN A COOL, WELL VENTILATED, AND DRY AREA. DEPENDENT UPON APPLICATION, SEPARATION DISTANCES AND SECURITY MEASURES ARE TO BE COMPLIED WITH. STORAGE COMPATIBILITY SHOULD BE MAINTAINED IN ACCORDANCE WITH FEDERAL REGULATIONS.

SECTION VIII: EXPOSURE CONTROL/PERSONAL PROTECTION

EXPOSURE LIMITS:	$ACGIH\ TLV = N/A$	OSHA PEL = N/A	DTHER = N/A	
ENGINEERING CONTROLS;				
DEVICES NEED TO	BE USED IN A WEL	L-VENTILATED AREA	FOR REMOVAL OF	
SMOKE. THE FOLL	JWING CHEMICALS H	AVE EXPOSURE LEVE	LS LISTED ON THE	
SPECIFIC SDS,	(THESE PEL'S/TLV'	S ARE ONLY A	PPLICABLE DURING	
MANUFACTURING);	MANUFACTURING);			
BARIUM NITRATE				
ALUMINUM				
PERSONAL PROTECTIVE EQU	IPMENT;			
SAFETY GLASSES	ARE REQUIRED	WHEN HANDLING.	PREVENTION OR	
REDUCTION OF STATIC ELECTRICITY SHOULD BE ACCOMPLISHED BY WEARING				
ALL COTTON CLOTE	IING			

SECTION IX: PHYSICAL PROPERTIES

PHYSICAL STATE;	ODOR & APPEARANCE;	SPECIFIC GRAVITY;
Solid	SOLID TUBE USUALLY	N/A
	BLACK OR BROWN - NO	
	ODOR	
ODOR THRESHOLD;	Viscosity;	PARTITION COEFFICIENT; (N-
N/A	N/A	OCTONAL/WATER)
		N/A
VAPOR DENSITY; (AIR=1)	VAPOR PRESSURE; (MM/HG)	EVAPORATION RATE;
N/A	N/A	N/A
BOILING POINT; (°C)	FREEZING POINT; (°C)	PH;
N/A	N/A	N/A
SOLUBILITY IN WATER;	MELTING POINT;	VDC;
N/A	PYROTECHNICS WILL	N/A
	REACH AUTO-IGNITION	
	TEMPERATURE BEFORE	
	MELTING	
FLASHPOINT;	UPPER FLAMMABLE LIMITS;	LOWER FLAMMABLE LIMITS;
N/A	N/A	N/A
AUTO-IGNITION TEMPERATURE;	SENSITIVITY TO IMPACT;	SENSITIVITY TO ELECTROSTATIC;
APPROX 440° C	N/A	ONLY WHEN DEVICE IS
		UN-SHUNTED.



184 MCNALEY ROAD COLUMBUS, MT 59019 (406)322-1303

FLASH TRAYS, (ALL COLORS & EFFECTS) SECTION X: STABILITY & REACTIVITY

CHEMICAL STABILITY;			IF UNSTABLE, UNDER WHAT CONDITIONS;	
X	STABLE	UNSTABLE		
IND	OMPATIBILITIES OR CONDITIONS	TO AVOID;		
IG	NITION SOURCES.			
Pos	Possibility of Hazardous Reaction;			
VERY LOW WHEN DEVICE IS SHUNTED OR SHORT CIRCUITED. LOW POSSIBILITY				
WH	WHEN UN-SHUNTED.			
REACTIVITY;				
LOOSE COMPOSITION IS VERY REACTIVE TO SOURCES OF IGNITION.				
HAZARDOUS DECOMPOSITION;				
DE	COMPOSITION DOES NOT	OCCUR UNDER	NORMAL CIRCUMSTANCES DURING STORAGE,	
TR	TRANSPORT AND HANDLING. UPON FUNCTIONING, THIS DEVICE CAN PRODUCE NITRATES AND			
ОΤ	OTHER OXIDES.			

SECTION XI: TOXICOLOGICAL INFORMATION

CARCINOGENICITY - IARC; CARCINOGENICITY - ACGIH;			
THESE DEVICES MAY CONTAIN KNOWN	THESE DEVICES MAY CONTAIN KNOWN		
OR SUSPECTED CARCINOGENS. THE	OR SUSPECTED CARCINOGENS. THE		
FOLLOWING LIST OF CHEMICALS ARE	FOLLOWING LIST OF CHEMICALS ARE		
CLASSIFIABLE AND YOU SHOULD	CLASSIFIABLE AND YOU SHOULD		
REFER TO SPECIFIC MSDS FOR	REFER TO SPECIFIC MSDS FOR		
ADDITIONAL INFORMATION;	ADDITIONAL INFORMATION;		
ANTIMONY SULFIDE			
PVC, (CHLOROETHYLENE, POLYMER)			
ROUTES OF ENTRY;			
(ONLY SPILLED COMPOSITIONS) INHALA	ATION & INGESTION		
MEASURES OF TOXICITY; (INGREDIENTS ONLY)			
MAGNESIUM - (ORAL), LD50 (RAT) 230 MG/KG	3		
POTASSIUM NITRATE - (ORAL), LD50 (RAT) 30	315 MG/KG		
SULFUR - (INHALATION), LC50 (RAT) >9.23 M	MG/L/4H, (ORAL), LD50 (RAT) >3000 MG/KG:		
(DERMAL), LD50 (RABBIT)>2000 MG/KG			
CHARCOAL - (ORAL), LD50 (RAT) > 10,000 M	G/KG		
BARIUM NITRATE - (ORAL), LD50 (RAT) 355 MG/KG			
ANTIMONY SULFIDE - (INHALATION), LC50 (RAT) >5.04 MG/L/4H: (ORAL), LD50 (RAT)			
>2000 MG/KG: (DERMAL), LD50 (RAT) >2000 MG/KG			
SODIUM BICARBONATE - (ORAL), LD50 (RAT) 4220 MG/KG			
STRONTIUM NITRATE - (ORAL), LD50 (RAT) 1892 MG/KG			
SODIUM NITRATE - (ORAL), LD50 (RAT) 1267 MG/KG			
CHRONIC EFFECTS ON HUMANS; (INGREDIENTS ONLY) ACUTE EFFECTS ON HUMANS; (INGREDIENTS ONLY)			
(SEE INGREDIENT SDS) (SEE INGREDIENT SDS)			
OTHER TOXIC EFFECTS ON HUMANS; (SKIN CORROSION/IRRITATION, EYE DAMAGE/IRRITATION, RESPIRATORY OR SKIN SENSITIZER, OR ASPIRATION HAZARDS)			
N/A			
GERM CELL MUTAGENICITY; REPRODUCTIVE TOXICITY;			
N/A N/A			
STOT - SINGLE EXPOSURE; STOT - REPEATED EXPOSURE;			
N/A N/A			
SYMPTOMS OF OVEREXPOSURE;			
No overexposure hazards associated with the device or product.			
SMOKE INHALATION CAN CAUSE RESPIRATORY DISTRESS AND/OR IRRITATION			
IF USED IN POORLY VENTILATED OR CONFINED SPACE.			



184 MCNALEY ROAD COLUMBUS, MT 59019 (406)322-1303

FLASH TRAYS, (ALL COLORS & EFFECTS) SECTION XII: ECOLOGICAL INFORMATION

ECOTOXICITY;	BOD5 & COD;		
THE FOLLOWING LIST OF CHEMICALS	NOT AVAILABLE		
MAY HAVE ADDITIONAL ECOTOXICITY			
INFORMATION ON THEIR SPECIFIC			
MSDS;			
SULFUR			
SODIUM BICARBONATE			
SODIUM NITRATE			
PRODUCTS OF DEGRADATION;			
Possibly hazardous short term,	DEGRADATION PRODUCTS ARE NOT		
LIKELY.			
TOXICITY OF THE PRODUCTS OF BIODEGRADATION:			
THE PRODUCTS OF DEGRADATION AS	RE LESS TOXIC THAN THE PRODUCT		
ITSELF.			
OTHER ADVERSE AFFECTS;			
NOT AVAILABLE			
BIDACCUMULATION:	MOBILITY IN SOIL;		
N/A	N/A		

SECTION XIII: DISPOSAL CONSIDERATIONS:

EPA WASTE CODES APPLICABLE;

Unused devices will exhibit the characteristics of reactivity in accordance with 40 CFR. D003 would be applicable if $\underline{\text{devices}}$ are considered waste.

WASTE DISPOSAL;

WASTES MUST BE DISPOSED OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. AS STATED ABOVE, UNUSED DEVICE DOES EXHIBIT A RCRA CHARACTERISTIC AS DEPICTED BY 40 CFR AND/OR OTHER INTERNATIONAL REGULATIONS. BEST SUITED FOR INCINERATION AT A LICENSED EXPERIENCED DISPOSAL FACILITY. USED DEVICES MAY BE DISPOSED OF IN STANDARD REFUSE CONTAINER.

SECTION XIV: TRANSPORTATION INFORMATION

DOT CLASSIFICATION & UN IDENTIFICATION;	PROPER SHIPPING NAME & TECHNICAL NAME;	
CLASS 1.4G - UNO431	ARTICLES, PYROTECHNIC	
EXPLOSIVE		
SPECIAL PROVISIONS FOR TRANSPORT;		
IN CASE OF AN ACCIDENT, THE ERG SHOULD BE CONSULTED FOR EMERGENCY		
PROCEDURES. EVACUATION WILL BE N	ECESSARY IF ACCIDENT HAS INVOLVED	
MULTIPLE DEVICES IN A FIRE OR THE PO	DTENTIAL FOR A FIRE EXISTS.	



FLASH TRAYS, (ALL COLORS & EFFECTS) SECTION XV: REGULATORY INFORMATION:

FEDERAL & STATE REGULATIONS;

REGULATIONS GOVERNING THE MANUFACTURING, USE AND SALE OF PYROTECHNICS AND/OR CHEMICALS ARE APPLICABLE TO THIS PRODUCT LINE. PLEASE CONTACT YOUR DISTRIBUTOR OR THE MANUFACTURER FOR SPECIFIC REGULATIONS IF YOU HAVE QUESTIONS.

OTHER REGULATIONS;

OSHA: HAZARDOUS BY DEFINITION OF HAZARD COMMUNICATION STANDARD 1910.1200). EINECS: SOME OF THE COMPOSITIONAL INGREDIENTS ARE ON THE EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES. INGREDIENTS MAY HAVE SPECIFIC FEDERAL, STATE REGULATIONS GOVERNING THRESHOLDS LOCAL AND HANDLING PROCEDURES AND ONLY APPLY TO THE MANUFACTURING OF THESE ITEMS. IF ONE OF THE INGREDIENTS IN THESE DEVICES IS POTASSIUM PERCHLORATE, THE STATE OF CALIFORNIA REQUIRES THAT THIS WARNING BE GIVEN - "SOME PRODUCTS MAY CONTAIN PERCHLORATES. SPECIAL HANDLING MAY APPLY!

SEE WWW.DTSC.CA.GOV/HAZARDOUSWASTE/PERCHLORATE."

SECTION XVI: OTHER INFORMATION

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. However, we make no warranty of MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL NEXT FX, INC. OR ITS AFFILIATES BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF NEXT FX, INC. AFFILIATES OR CONSULTANTS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

DATE PREPARED;	PREPARED BY;	TELEPHONE NUMBER;
18 SEPT. 2013	DENNIS SLICER	(406)322-1304