



184 MCNALEY ROAD
COLUMBUS, MT 59019
(406)322-1303

NEXT FX, INC. SAFETY DATA SHEET

ISOPROPANOL

SECTION I: PRODUCT & MANUFACTURER IDENTIFICATION

PRODUCT IDENTIFIER ISOPROPANOL, ISOPROPYL ALCOHOL		
PRODUCT USE; MEDICINAL, INDUSTRIAL SOLVENT, SPECIAL EFFECTS, CLEANING AGENT.		
MANUFACTURERS NAME; DISTRIBUTED BY: NEXT FX, INC. MFG. BY: STAGE FX, INC.		
STREET ADDRESS; 184 MCNALEY ROAD	CITY; COLUMBUS	STATE MT - USA
ZIP CODE; 59019	TELEPHONE NUMBER; (406)322-1303	EMERGENCY NUMBERS; DOMESTIC - (800)255-3924 INTER. - +01 (813)248-0585

SECTION II: HAZARDS IDENTIFICATION

WHMIS CLASSIFICATION/GHS CLASSIFICATION: FLAMMABLE LIQUID, CATEGORY 3	
  <p style="text-align: center;">DANGER</p>	
HAZARD STATEMENT: FLAMMABLE LIQUID AND VAPOR, MAY CAUSE DROWSINESS OR DIZZINESS.	
PRECAUTIONARY STATEMENTS: PREVENTION; KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES/STRAY ELECTRICAL CURRENTS – “NO SMOKING”. KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE. TAKE PRECAUTIONARY MEASURES AGAINST STATIC DISCHARGE. DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD. AVOID BREATHING MIST, VAPORS OR SPRAY. USE OUTDOORS OR IN A WELL-VENTILATED AREA.	
RESPONSE; <p style="text-align: center;">IF ON SKIN OR HAIR, RINSE SKIN OR HAIR WITH WATER. (IF INGESTED) IMMEDIATELY CALL A POISON CENTER OR DOCTOR. (IF INHALED) REMOVE PERSON TO FRESH AIR AND KEEP COMFORTABLE FOR BREATHING.</p>	
PRODUCT USE: LIQUID (WHEN VAPORIZED) CAN CREATE FLAMMABLE VAPOR OR MIST. MAINTAIN REASONABLE SAFETY DISTANCES. REFER TO LABEL OR MANUFACTURER FOR APPROPRIATE SAFETY DISTANCES FOR SPECIFIC PRODUCT. “FOR PROFESSIONAL USE ONLY” NOT FOR CONSUMER OR RETAIL SALES. <p style="text-align: center;">SALES TO PERSONS UNDER (18) YEARS PROHIBITED.</p>	
POTENTIAL ACUTE HEALTH EFFECTS: HAZARDOUS IN CASE OF EYE CONTACT (IRRITANT), OF INGESTION, OF INHALATION. SLIGHTLY HAZARDOUS IN CASE OF SKIN CONTACT (IRRITANT, SENSITIZER, PERMEATOR).	



184 MCNALEY ROAD
COLUMBUS, MT 59019
(406)322-1303

NEXT FX, INC. SAFETY DATA SHEET

ISOPROPANOL

POTENTIAL CHRONIC HEALTH EFFECTS:
SLIGHTLY HAZARDOUS IN CASE OF SKIN CONTACT (SENSITIZER). CARCINOGENIC EFFECTS: A4 (NOT CLASSIFIABLE FOR HUMAN OR ANIMAL.) BY ACGIH, 3 (NOT CLASSIFIABLE FOR HUMAN.) BY IARC. MUTAGENIC EFFECTS: NOT AVAILABLE. TERATOGENIC EFFECTS: NOT AVAILABLE. DEVELOPMENTAL TOXICITY: CLASSIFIED REPRODUCTIVE SYSTEM/TOXIN/FEMALE, DEVELOPMENT TOXIN [POSSIBLE]. THE SUBSTANCE MAY BE TOXIC TO KIDNEYS, LIVER, SKIN, CENTRAL NERVOUS SYSTEM (CNS). REPEATED OR PROLONGED EXPOSURE TO THE SUBSTANCE CAN PRODUCE TARGET ORGANS DAMAGE.

NATIONAL FIRE PROTECTION ASSOCIATION RATINGS; (MIXED BINARY ONLY)

HEALTH HAZARD - 1 FLAMMABILITY - 3 REACTIVITY - 0 SPECIAL - 0

SECTION III: COMPOSITION/INGREDIENT INFORMATION

HAZARDOUS INGREDIENTS	%	CAS NUMBER
ISOPROPYL ALCOHOL	100	67-63-0

* INGREDIENT PERCENTAGES ARE COMPANY PROPRIETARY.

SECTION IV: FIRST AID MEASURES

ROUTES OF ENTRY; X SKIN CONTACT - SKIN ABSORPTION X EYE CONTACT X INHALATION X INGESTION
<p>SKIN CONTACT: CONTENTS SHOULD BE WASHED IMMEDIATELY FROM EXPOSED AREA WITH PLENTY OF SOAP AND WATER. CONTAMINATED CLOTHING SHOULD ALSO BE REMOVED AND CLEANSSED PRIOR TO REUSE.</p>
<p>EYE CONTACT: FLUSH EYES FOR A MINIMUM OF 15 MINUTES. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.</p>
<p>INHALATION: IF OVEREXPOSURE HAS OCCURRED, REMOVE VICTIM FROM AREA AND SEEK FRESH AIR. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION IMMEDIATELY.</p>
<p>INGESTION: IF CONTENTS ARE ACCIDENTALLY INGESTED, IMMEDIATELY CALL A POISON CENTER OR DOCTOR. SEEK MEDICAL ATTENTION AS SOON AS POSSIBLE.</p>
<p>ACUTE HEALTH EFFECTS: HAZARDOUS IN CASE OF EYE CONTACT (IRRITANT), OF INGESTION, OF INHALATION. SLIGHTLY HAZARDOUS IN CASE OF SKIN CONTACT (IRRITANT, SENSITIZER, PERMEATOR).</p>
<p>CHRONIC HEALTH EFFECTS: SLIGHTLY HAZARDOUS IN CASE OF SKIN CONTACT (SENSITIZER). CARCINOGENIC EFFECTS: A4 (NOT CLASSIFIABLE FOR HUMAN OR ANIMAL.) BY ACGIH, 3 (NOT CLASSIFIABLE FOR HUMAN.) BY IARC. MUTAGENIC EFFECTS: NOT AVAILABLE. TERATOGENIC EFFECTS: NOT AVAILABLE. DEVELOPMENTAL TOXICITY: CLASSIFIED REPRODUCTIVE SYSTEM/TOXIN/FEMALE, DEVELOPMENT TOXIN [POSSIBLE]. THE SUBSTANCE MAY BE TOXIC TO KIDNEYS, LIVER, SKIN, CENTRAL NERVOUS SYSTEM (CNS). REPEATED OR PROLONGED EXPOSURE TO THE SUBSTANCE CAN PRODUCE TARGET ORGANS DAMAGE.</p>



184 MCNALEY ROAD
COLUMBUS, MT 59019
(406)322-1303

NEXT FX, INC. SAFETY DATA SHEET

ISOPROPANOL

SECTION V: FIRE FIGHTING MEASURES & RELATED INFORMATION

<p>FLAMMABILITY; FLAMMABLE LIQUID AND VAPOR, HAZARD CATEGORY 3</p>	<p>NFPA RATING; 3 - MAJOR HAZARD,</p>
<p>GENERAL FIRE HAZARDS; HIGHLY FLAMMABLE IN PRESENCE OF OPEN FLAMES AND SPARKS, OF HEAT. FLAMMABLE IN PRESENCE OF OXIDIZING MATERIALS. NONFLAMMABLE IN PRESENCE OF SHOCKS. VAPOR MAY TRAVEL CONSIDERABLE DISTANCE TO SOURCE OF IGNITION AND FLASH BACK. CAUTION: MAY BURN WITH NEAR INVISIBLE FLAME. HYDROGEN PEROXIDE SHARPLY REDUCES THE AUTOIGNITION TEMPERATURE OF ISOPROPYL ALCOHOL. AFTER A DELAY, ISOPROPYL ALCOHOL IGNITES ON CONTACT WITH DIOXGENYL TETRAFLUORBORATE, CHROMIUM TRIOXIDE, AND POTASSIUM TERT-BUTOXIDE. WHEN HEATED TO DECOMPOSITION IT EMITS ACRID SMOKE AND FUMES.</p>	
<p>MEANS OF EXTINGUISHMENT; FLAMMABLE LIQUID, SOLUBLE OR DISPERSED IN WATER. SMALL FIRE: USE DRY CHEMICAL POWDER. LARGE FIRE: USE ALCOHOL FOAM, WATER SPRAY OR FOG.</p>	

SECTION VI: ACCIDENTAL RELEASE MEASURES

<p>CONTAINMENT PROCEDURES; DILUTE WITH WATER AND MOP UP, OR ABSORB WITH AN INERT DRY MATERIAL AND PLACE IN AN APPROPRIATE WASTE DISPOSAL CONTAINER.</p>
<p>CLEAN-UP PROCEDURES; FLAMMABLE LIQUID. KEEP AWAY FROM HEAT. KEEP AWAY FROM SOURCES OF IGNITION. STOP LEAK IF WITHOUT RISK. ABSORB WITH DRY EARTH, SAND OR OTHER NON-COMBUSTIBLE MATERIAL. DO NOT TOUCH SPILLED MATERIAL. PREVENT ENTRY INTO SEWERS, BASEMENTS OR CONFINED AREAS; DIKE IF NEEDED. BE CAREFUL THAT THE PRODUCT IS NOT PRESENT AT A CONCENTRATION LEVEL ABOVE TLV. CHECK TLV ON THE MSDS AND WITH LOCAL AUTHORITIES.</p>

SECTION VII: HANDLING AND STORAGE

<p>HANDLING PROCEDURES AND EQUIPMENT; KEEP AWAY FROM HEAT. KEEP AWAY FROM SOURCES OF IGNITION. GROUND ALL EQUIPMENT CONTAINING MATERIAL. DO NOT INGEST. DO NOT BREATHE GAS/FUMES/VAPOR/SPRAY. AVOID CONTACT WITH EYES. WEAR SUITABLE PROTECTIVE CLOTHING. IN CASE OF INSUFFICIENT VENTILATION, WEAR SUITABLE RESPIRATORY EQUIPMENT. IF INGESTED, SEEK MEDICAL ADVICE IMMEDIATELY AND SHOW THE CONTAINER OR THE LABEL. KEEP AWAY FROM INCOMPATIBLES SUCH AS OXIDIZING AGENTS, ACIDS.</p>
<p>STORAGE REQUIREMENTS; STORE IN A COOL, WELL VENTILATED, AND DRY AREA. STORE LOCKED UP.</p>

SECTION VIII: EXPOSURE CONTROL/PERSONAL PROTECTION

<p>EXPOSURE LIMITS:</p>	<p>ACGIH TLV = 400 PPM</p>	<p>OSHA PEL = 1225 PPM</p>	<p>OTHER = FLAMMABLE VAPOR</p>
-------------------------	--------------------------------	--------------------------------	------------------------------------



184 MCNALEY ROAD
COLUMBUS, MT 59019
(406)322-1303

NEXT FX, INC. SAFETY DATA SHEET

ISOPROPANOL

ENGINEERING CONTROLS;

PROVIDE EXHAUST VENTILATION OR OTHER ENGINEERING CONTROLS TO KEEP THE AIRBORNE CONCENTRATIONS OF VAPORS BELOW THEIR RESPECTIVE THRESHOLD LIMIT VALUE. ENSURE THAT EYEWASH STATIONS AND SAFETY SHOWERS ARE PROXIMAL TO THE WORK-STATION LOCATION.

PERSONAL PROTECTIVE EQUIPMENT;

VAPOR RESPIRATOR MAY BE REQUIRED IF TLV OR PEL'S CANNOT BE CONTROLLED. WEAR PROTECTIVE GLOVES/PROTECTIVE CLOTHING, (IMPERVIOUS GLOVES AND APRON RECOMMENDED).

SECTION IX: PHYSICAL PROPERTIES

PHYSICAL STATE; LIQUID	ODOR & APPEARANCE; PLEASANT ODOR - CLEAR LIQUID	SPECIFIC GRAVITY; 0.785
ODOR THRESHOLD; 22 PPM (SITTIG, 1991), 700 PPM FOR UNADAPTED PANELISTS	VISCOSITY; NOT KNOWN	PARTITION COEFFICIENT; (N- OCTONAL/WATER) EQUALLY SOLUBLE
VAPOR DENSITY; (AIR=1) 2.07	VAPOR PRESSURE; (MM/HG) 4.4 KPA	EVAPORATION RATE; SLOWER THEN ETHER
BOILING POINT; (°C) 82° C, 180.5° F	FREEZING POINT; (°C) -88.5° C, (-127.3° F)	PH; NOT KNOWN
SOLUBILITY IN WATER; EASILY SOLUBLE ON COLD WATER	MELTING POINT; N/A	VOC; NOT KNOWN
FLASHPOINT; -12.778° C, (55° F)	UPPER FLAMMABLE LIMITS; 12.7	LOWER FLAMMABLE LIMITS; 2
AUTO-IGNITION TEMPERATURE; 399° C, (750.2° F)	SENSITIVITY TO IMPACT; UNKNOWN	SENSITIVITY TO ELECTROSTATIC; LOW

SECTION X: STABILITY & REACTIVITY

CHEMICAL STABILITY; X STABLE	IF UNSTABLE, UNDER WHAT CONDITIONS; UNSTABLE
INCOMPATIBILITIES OR CONDITIONS TO AVOID; REACTIVE WITH OXIDIZING AGENTS, ACIDS AND ALKALIES.	
POSSIBILITY OF HAZARDOUS REACTION; HIGH IF VAPORIZED AND GIVEN A SOURCE OF IGNITION.	
REACTIVITY; AVOID HEAT, SPARKS, OPEN FLAMES AND OTHER IGNITION SOURCES.	
HAZARDOUS DECOMPOSITION; CARBON OXIDES (CO & CO₂)	

SECTION XI: TOXICOLOGICAL INFORMATION

CARCINOGENICITY - IARC; THIS MATERIAL MAY CONTAIN KNOWN OR SUSPECTED CARCINOGENS. THE FOLLOWING LIST OF CHEMICALS ARE	CARCINOGENICITY - ACGIH; THIS MATERIAL MAY CONTAIN KNOWN OR SUSPECTED CARCINOGENS. THE FOLLOWING LIST OF CHEMICALS ARE
---	--



184 MCNALEY ROAD
COLUMBUS, MT 59019
(406)322-1303

NEXT FX, INC. SAFETY DATA SHEET

ISOPROPANOL

CLASSIFIABLE AND YOU SHOULD REFER TO SPECIFIC SDS FOR ADDITIONAL INFORMATION;	CLASSIFIABLE AND YOU SHOULD REFER TO SPECIFIC MSDS FOR ADDITIONAL INFORMATION;
ROUTES OF ENTRY; INHALATION, INGESTION, EYE CONTACT	
MEASURES OF TOXICITY; (INGREDIENTS ONLY) ISOPROPYL ALCOHOL - (ORAL), LD50 (RAT) 5045 MG/KG, (DERMAL), LD50 (RABBIT) 12,800 MG/KG	
CHRONIC EFFECTS ON HUMANS; (INGREDIENTS ONLY) SLIGHTLY HAZARDOUS IN CASE OF SKIN CONTACT, (PERMEATOR). SUBSTANCE MAY BE TOXIC TO TARGET ORGANS AND PROLONGED EXPOSURE MAY CAUSE DAMAGE.	ACUTE EFFECTS ON HUMANS; (INGREDIENTS ONLY) HAZARDOUS IN CASE OF EYE CONTACT AND INGESTION. SLIGHTLY HAZARDOUS IN CASE OF SKIN CONTACT, (IRRITANT, SENSITIZER, PERMEATOR).
OTHER TOXIC EFFECTS ON HUMANS; (SKIN CORROSION/IRRITATION, EYE DAMAGE/IRRITATION, RESPIRATORY OR SKIN SENSITIZER, OR ASPIRATION HAZARDS) ACUTE POTENTIAL HEALTH EFFECTS: SKIN: MAY CAUSE MILD SKIN IRRITATION, AND SENSITIZATION. EYES: CAN CAUSE EYE IRRITATION. INHALATION: BREATHING IN SMALL AMOUNTS OF THIS MATERIAL DURING NORMAL HANDLING IS NOT LIKELY TO CAUSE HARMFUL EFFECTS. HOWEVER, BREATHING LARGE AMOUNTS MAY BE HARMFUL AND MAY AFFECT THE RESPIRATORY SYSTEM AND MUCOUS MEMBRANES (IRRITATION), BEHAVIOR AND BRAIN (CENTRAL NERVOUS SYSTEM DEPRESSION - HEADACHE, DIZZINESS, DROWSINESS, STUPOR, INCOORDINATION, UNCONCIOUSNESS, COMA AND POSSIBLE DEATH), PERIPHERAL NERVE AND SENSATION, BLOOD, URINARY SYSTEM, AND LIVER. INGESTION: SWALLOWING SMALL AMOUNTS DURING NORMAL HANDLING IS NOT LIKELY TO CAUSE HARMFUL EFFECTS. SWALLOWING LARGE AMOUNTS MAY BE HARMFUL. SWALLOWING LARGE AMOUNTS MAY CAUSE GASTROINTESTINAL TRACT IRRITATION WITH NAUSEA, VOMITING AND DIARRHEA, ABDOMINAL PAIN. IT ALSO MAY AFFECT THE URINARY SYSTEM, CARDIOVASCULAR SYSTEM, SENSE ORGANS, BEHAVIOR OR CENTRAL NERVOUS SYSTEM (SOMNOLENCE, GENERALLY DEPRESSED ACTIVITY, IRRITABILITY, HEADACHE, DIZZINESS, DROWSINESS), LIVER, AND RESPIRATORY SYSTEM (BREATHING DIFFICULTY). CHRONIC POTENTIAL HEALTH EFFECTS: MAY CAUSE DEFATTING OF THE SKIN AND DERMATITIS AND ALLERGIC REACTION. MAY CAUSE ADVERSE REPRODUCTIVE EFFECTS BASED ON ANIMAL DATA (STUDIES).	
GERM CELL MUTAGENICITY; (SEE INGREDIENT SDS)	REPRODUCTIVE TOXICITY; CLASSIFIED AS REPRODUCTIVE SYSTEM TOXIN/FEMALE, (POSSIBLE) DEVELOPMENTAL TOXIN.
STOT - SINGLE EXPOSURE; (SEE INGREDIENT SDS)	STOT - REPEATED EXPOSURE; (SEE INGREDIENT SDS)
SYMPTOMS OF OVEREXPOSURE; DROWSINESS, SHORTNESS OF BREATH, REDNESS OF SKIN, NAUSEA, CONFUSED BEHAVIOR, CNS DEPRESSION, UNCONSCIOUSNESS, HEADACHE AND FATIGUE.	

SECTION XII: ECOLOGICAL INFORMATION

ECOTOXICITY; THE FOLLOWING LIST OF CHEMICALS MAY HAVE ADDITIONAL ECOTOXICITY INFORMATION ON THEIR SPECIFIC SDS; ISOPROPYL ALCOHOL	BOD5 & COD; NOT AVAILABLE
---	-------------------------------------



184 MCNALEY ROAD
COLUMBUS, MT 59019
(406)322-1303

NEXT FX, INC. SAFETY DATA SHEET

ISOPROPANOL

PRODUCTS OF DEGRADATION; POSSIBLY HAZARDOUS SHORT TERM, DEGRADATION PRODUCTS ARE NOT LIKELY. HOWEVER, LONG-TERM DEGRADATION PRODUCTS MAY ARISE.	
TOXICITY OF THE PRODUCTS OF BIODEGRADATION: THE PRODUCT ITSELF AND ITS PRODUCTS OF DEGRADATION ARE NOT TOXIC.	
OTHER ADVERSE AFFECTS; NONE	
BIOACCUMULATION: (SEE INGREDIENT SDS)	MOBILITY IN SOIL; (SEE INGREDIENT SDS)

SECTION XIII: DISPOSAL CONSIDERATIONS:

EPA WASTE CODES APPLICABLE; WILL EXHIBIT THE CHARACTERISTIC OF IGNITABILITY IN ACCORDANCE WITH 40 CFR. D001 WOULD BE APPLICABLE IF SUBSTANCE IS CONSIDERED WASTE.
WASTE DISPOSAL; WASTES MUST BE DISPOSED OR SENT TO RECLAIMER IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. AS STATED ABOVE, UNUSED LIQUID DOES EXHIBIT A RCRA CHARACTERISTIC AS DEPICTED BY 40 CFR AND/OR OTHER INTERNATIONAL REGULATIONS.

SECTION XIV: TRANSPORTATION INFORMATION

DOT CLASSIFICATION & UN IDENTIFICATION; CLASS 3; FLAMMABLE LIQUID	PROPER SHIPPING NAME & TECHNICAL NAME; ISOPROPYL ALCOHOL, UN1219
SPECIAL PROVISIONS FOR TRANSPORT; IN CASE OF AN ACCIDENT, THE ERG SHOULD BE CONSULTED FOR EMERGENCY PROCEDURES.	

SECTION XV: REGULATORY INFORMATION:

FEDERAL & STATE REGULATIONS; CONNECTICUT HAZARDOUS MATERIAL SURVEY.: ISOPROPYL ALCOHOL ILLINOIS TOXIC SUBSTANCES DISCLOSURE TO EMPLOYEE ACT: ISOPROPYL ALCOHOL RHODE ISLAND RTK HAZARDOUS SUBSTANCES: ISOPROPYL ALCOHOL PENNSYLVANIA RTK: ISOPROPYL ALCOHOL FLORIDA: ISOPROPYL ALCOHOL MINNESOTA: ISOPROPYL ALCOHOL MASSACHUSETTS RTK: ISOPROPYL ALCOHOL NEW JERSEY: ISOPROPYL ALCOHOL NEW JERSEY SPILL LIST: ISOPROPYL ALCOHOL DIRECTOR'S LIST OF HAZARDOUS SUBSTANCES: ISOPROPYL ALCOHOL TENNESEE: ISOPROPYL ALCOHOL TSCA 8(B) INVENTORY: ISOPROPYL ALCOHOL TSCA 4(A) FINAL TESTING ORDER: ISOPROPYL ALCOHOL TSCA 8(A) IUR: ISOPROPYL ALCOHOL TSCA 8(D) H P. 6 AND 5 DATA REPORTING: ISOPROPYL ALCOHOL: EFFECTIVE DATE: 12/15/86 SUNSET DATE: 12/15/96 TSCA 12(B) ONE TIME EXPORT: ISOPROPYL ALCOHOL SARA 313 TOXIC CHEMICAL NOTIFICATION AND RELEASE REPORTING: ISOPROPYL ALCOHOL.
OTHER REGULATIONS; OSHA: HAZARDOUS BY DEFINITION OF HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200). EINECS: THIS PRODUCT IS ON THE EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES.



184 MCNALEY ROAD
COLUMBUS, MT 59019
(406)322-1303

NEXT FX, INC. SAFETY DATA SHEET

ISOPROPANOL SECTION XVI: OTHER INFORMATION

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL NEXT FX, INC. OR ITS AFFILIATES BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF NEXT FX, INC. AFFILIATES OR CONSULTANTS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

DATE PREPARED;
30 SEPT. 2013

PREPARED BY;
DENNIS SLICER

TELEPHONE NUMBER;
(406)322-1304