





184 MCNALEY ROAD
COLUMBUS, MT 59019
(406)322-1303

NEXT FX, INC. SAFETY DATA SHEET

STROBE FLARE & FLARES, (ALL COLORS) SECTION I: PRODUCT & MANUFACTURER IDENTIFICATION

PRODUCT IDENTIFIER STROBE FLARE, FLARE FLASH, FLARE, STROBE		
PRODUCT USE; THEATRICAL PYROTECHNICS AND SPECIAL EFFECTS. DEVICE BURNS AND RELEASES A BURST OF COLOR INTERMITTENTLY OR CONTINUOUSLY. DEVICE WILL EXPEL BURNING PROJECTIONS AND CONTINUE TO BURN FOR A SHORT DURATION.		
MANUFACTURERS NAME; DISTRIBUTED BY: NEXT FX, INC. MFG. BY: STAGE FX, INC.		
STREET ADDRESS; 184 MCNALEY ROAD		CITY; COLUMBUS STATE MT - USA
ZIP CODE; 59019	TELEPHONE NUMBER; (406)322-1303	EMERGENCY NUMBERS; DOMESTIC - (800)255-3924 INTER. - +01 (813)248-0585

SECTION II: HAZARDS IDENTIFICATION

WHMIS CLASSIFICATION/GHS CLASSIFICATION: EXPLOSIVE CLASS 1.4	
	
<h1>WARNING</h1>	
HAZARD STATEMENT: FIRE OR PROJECTION HAZARD	
PRECAUTIONARY STATEMENTS: PREVENTION; KEEP AWAY FROM HEAT/SPARKS/OPEN FLAMES/HOT SURFACES/STRAY ELECTRICAL CURRENTS - "NO SMOKING"	
RESPONSE; IN CASE OF FIRE: EVACUATE AREA EXPLOSION RISK IN CASE OF FIRE DO NOT FIGHT FIRE WHEN FIRE HAS REACHED EXPLOSIVE PRODUCT.	
PRODUCT USE: BURNING PROJECTIONS CAN AND WILL IGNITE COMBUSTIBLE MATERIALS. HEIGHT & RADIAL SAFETY DISTANCES SHOULD BE APPLIED. REFER TO LABEL OR MANUFACTURER FOR APPROPRIATE SAFETY DISTANCES FOR SPECIFIC PRODUCT. "FOR PROFESSIONAL USE ONLY" NOT FOR CONSUMER OR RETAIL SALES.	
SALES TO PERSONS UNDER (18) YEARS PROHIBITED.	
POTENTIAL ACUTE HEALTH EFFECTS: DEVICE COULD CAUSE SERIOUS BURN INJURIES IF INCORRECTLY USED.	
POTENTIAL CHRONIC HEALTH EFFECTS: THERE ARE NO CHRONIC AFFECTS FROM HANDLING THIS PRODUCT APPROPRIATELY. SEE APPROPRIATE MSDS FOR COMPONENT INGREDIENTS.	



184 MCNALEY ROAD
COLUMBUS, MT 59019
(406)322-1303

NEXT FX, INC. SAFETY DATA SHEET

STROBE FLARE & FLARES, (ALL COLORS)

NATIONAL FIRE PROTECTION ASSOCIATION RATINGS;

HEALTH HAZARD - 1 FLAMMABILITY - 3 REACTIVITY - 0 SPECIAL - 0

SECTION III: COMPOSITION/INGREDIENT INFORMATION

HAZARDOUS INGREDIENTS	%	CAS NUMBER
POTASSIUM PERCHLORATE	*	7778-74-7
AMMONIUM PERCHLORATE	*	7790-98-9
STRONTIUM SULFATE	*	7759-02-6
POTASSIUM DICHROMATE	*	7778-50-9
MAGNESIUM	*	7439-95-4
STRONTIUM CARBONATE	*	1633-05-2
SARAN RESIN	*	9011-06-7
POTASSIUM NITRATE	*	7757-79-1
SULFUR	*	7704-34-9
RED GUM	*	
DEXTRINE	*	9004-53-9
BLACK COPPER OXIDE	*	1317-38-0
CHARCOAL	*	7440-44-0
ALUMINUM	*	7429-90-5
BORIC ACID	*	10043-35-3
ANTIMONY SULFIDE	*	1345-04-6
BARIUM CARBONATE	*	513-77-9
SODIUM BICARBONATE	*	144-55-8
CALCIUM CARBONATE	*	471-34-1
STRONTIUM NITRATE	*	10042-76-9
BARIUM NITRATE	*	10022-31-8
COPPER CARBONATE	*	12069-69-1
BARIUM SULFATE	*	7727-43-7
CALCIUM SULFATE	*	10101-41-4
POTASSIUM SULFATE	*	7778-80-5
SODIUM SULFATE	*	7757-82-6
PVC, CHLOROETHYLENE POLYMER	*	9002-86-2

* INGREDIENT PERCENTAGES ARE COMPANY PROPRIETARY. CHEMICAL INGREDIENT LIST MAY VARY WITH SPECIFIC CUSTOMER COLORATION REQUIREMENTS AND MAY NOT BE ALL INCLUSIVE.

SECTION IV: FIRST AID MEASURES

ROUTES OF ENTRY; X SKIN CONTACT - SKIN ABSORPTION X EYE CONTACT X INHALATION X INGESTION

SKIN CONTACT:

PRODUCT ITSELF DOES NOT HAVE ANY SKIN CONTACT HAZARDS. SERIOUS BURNS COULD TAKE PLACE IF ACCIDENTAL IGNITION. CONTENTS (IF SPILLED) SHOULD BE WASHED IMMEDIATELY FROM EXPOSED AREA WITH PLENTY OF SOAP AND WATER.



184 MCNALEY ROAD
COLUMBUS, MT 59019
(406)322-1303

NEXT FX, INC. SAFETY DATA SHEET

STROBE FLARE & FLARES, (ALL COLORS)

EYE CONTACT:

PRODUCT ITSELF DOES NOT HAVE ANY EYE CONTACT HAZARDS. SERIOUS EYE INJURIES COULD RESULT IF ACCIDENTAL IGNITION OCCURS. (IF CONTENTS ARE SPILLED) FLUSH EYES FOR A MINIMUM OF 15 MINUTES. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

INHALATION:

PRODUCT ITSELF DOES NOT PRESENT AN INHALATION HAZARD. SMOKE FROM DEVICE FUNCTIONING MAY CAUSE IRRITATION IF USED WITHIN NON-VENTILATED OR SMALL CONFINED SPACES.

INGESTION:

PRODUCT ITSELF DOES NOT PRESENT AN INGESTION HAZARD. IF CONTENTS ARE ACCIDENTALLY INGESTED, SEEK MEDICAL ATTENTION AS SOON AS POSSIBLE.

ACUTE HEALTH EFFECTS:

SOME INGREDIENTS ARE CONSIDERED IRRITANTS AND SHOULD BE HANDLED AS SUCH IF EXPOSED.

CHRONIC HEALTH EFFECTS:

THERE ARE NO CHRONIC AFFECTS FROM THE HANDLING OF THIS PRODUCT. ALTHOUGH REPEATED CLOSE PROXIMITY USE (WITHOUT HEARING PROTECTION) COULD CAUSE HEARING LOSS.

SECTION V: FIRE FIGHTING MEASURES & RELATED INFORMATION

FLAMMABILITY; ALL PYROTECHNICS ARE HIGHLY FLAMMABLE	NFPA RATING; 3 - MAJOR HAZARD
GENERAL FIRE HAZARDS; PYROTECHNIC COMPOSITIONS/DEVICES BURN VIOLENTLY AND ARE SELF-OXIDIZED. FASTER BURNING COMPOSITIONS MAY REACH DETONATION LEVELS DEPENDENT UPON COMPOSITION, PACKAGED CONFIGURATION AND/OR CONTAINMENT. BURNING PROJECTIONS CAN AND WILL IGNITE COMBUSTIBLE MATERIALS. ALTITUDE AND RADIAL SAFETY DISTANCES SHOULD BE APPLIED.	
MEANS OF EXTINGUISHMENT; PYROTECHNICS ARE SELF-OXIDIZED AND CANNOT BE EXTINGUISHED WITH NORMAL MEANS. DO NOT FIGHT FIRES INVOLVING THE DEVICES. INCIPIENT FIRES MAY BE FOUGHT. DO NOT USE SUFFOCATION METHODS, CLEAR AREA OF PERSONNEL!	

SECTION VI: ACCIDENTAL RELEASE MEASURES

CONTAINMENT PROCEDURES; DEVICES MAY BE GENTLY PICKED UP AND RE-PACKAGED IN ORIGINAL PACKAGING OR EQUIVALENT. IN CASE PYROTECHNIC COMPOSITION IS SPILLED: KEEP AWAY FROM ANY POSSIBLE IGNITION SOURCES SUCH AS OPEN FLAMES, SPARKS AND NON-RATED ELECTRICAL DEVICES. PREVENT POSSIBLE ELECTROSTATIC DISCHARGES (FOR EXAMPLE: DO NOT USE A SYNTHETIC DUSTPAN AND BRUSH).
--



184 MCNALEY ROAD
COLUMBUS, MT 59019
(406)322-1303

NEXT FX, INC. SAFETY DATA SHEET

STROBE FLARE & FLARES, (ALL COLORS)

CLEAN-UP PROCEDURES;

PACKAGED DEVICES CAN BE PICKED UP GENTLY. FOR SPILLED MATERIAL, WHICH MAY BE RELEASED ACCIDENTALLY, FLOOD AREA WITH WATER AND USE CONDUCTIVE OR NATURAL MATERIAL UTENSILS FOR PICK-UP. PLACE INTO A CLOSED CONDUCTIVE CONTAINER FOR DISPOSAL.

SECTION VII: HANDLING AND STORAGE

HANDLING PROCEDURES AND EQUIPMENT;

ALL PYROTECHNICS SHOULD BE HANDLED WITH CAUTION. AVOID OPEN FLAMES, SMOKING, FRICTION, IMPACT, EXCESSIVE HEAT, ELECTROSTATIC DISCHARGES, RADIO FREQUENCY INTERFERENCE AND MOISTURE. DO NOT AIM OPEN END OF THE DEVICE TOWARDS PERSONNEL OR COMBUSTIBLE MATERIALS. SAFETY INSTRUCTIONS INCLUDED IN PACKAGING.

STORAGE REQUIREMENTS;

STORE IN A COOL, WELL VENTILATED, AND DRY AREA. DEPENDENT UPON APPLICATION, SEPARATION DISTANCES AND SECURITY MEASURES ARE TO BE COMPLIED WITH. STORAGE COMPATIBILITY SHOULD BE MAINTAINED IN ACCORDANCE WITH FEDERAL REGULATIONS.

SECTION VIII: EXPOSURE CONTROL/PERSONAL PROTECTION

EXPOSURE LIMITS:	ACGIH TLV = N/A	OSHA PEL = N/A	OTHER = N/A
ENGINEERING CONTROLS;			
DEVICES NEED TO BE USED IN A WELL-VENTILATED AREA FOR REMOVAL OF SMOKE. THE FOLLOWING CHEMICALS HAVE EXPOSURE LEVELS LISTED ON THE SPECIFIC SDS, (THESE PEL'S/TLV'S ARE ONLY APPLICABLE DURING MANUFACTURING);			
BLACK COPPER OXIDE			
BARIIUM NITRATE			
ALUMINUM			
BORIC ACID			
CALCIUM CARBONATE			
BARIIUM SULFATE			
PERSONAL PROTECTIVE EQUIPMENT;			
SAFETY GLASSES ARE REQUIRED WHEN HANDLING. PREVENTION OR REDUCTION OF STATIC ELECTRICITY SHOULD BE ACCOMPLISHED BY WEARING ALL COTTON CLOTHING.			

SECTION IX: PHYSICAL PROPERTIES

PHYSICAL STATE; SOLID	ODOR & APPEARANCE; SOLID TUBE USUALLY BLACK - NO ODOR	SPECIFIC GRAVITY; N/A
ODOR THRESHOLD; N/A	VISCOSITY; N/A	PARTITION COEFFICIENT; (N- OCTONAL/WATER) N/A
VAPOR DENSITY; (AIR=1) N/A	VAPOR PRESSURE; (MM/HG) N/A	EVAPORATION RATE; N/A



184 MCNALEY ROAD
COLUMBUS, MT 59019
(406)322-1303

NEXT FX, INC. SAFETY DATA SHEET

STROBE FLARE & FLARES, (ALL COLORS)

BOILING POINT; (°C) N/A	FREEZING POINT; (°C) N/A	PH; N/A
SOLUBILITY IN WATER; N/A	MELTING POINT; PYROTECHNICS WILL REACH AUTO-IGNITION TEMPERATURE BEFORE MELTING	VOC; N/A
FLASHPOINT; N/A	UPPER FLAMMABLE LIMITS; N/A	LOWER FLAMMABLE LIMITS; N/A
AUTO-IGNITION TEMPERATURE; APPROX. - 440° C	SENSITIVITY TO IMPACT; N/A	SENSITIVITY TO ELECTROSTATIC; ONLY WHEN DEVICE IS UN-SHUNTED.

SECTION X: STABILITY & REACTIVITY

CHEMICAL STABILITY; X STABLE	UNSTABLE	IF UNSTABLE, UNDER WHAT CONDITIONS;
INCOMPATIBILITIES OR CONDITIONS TO AVOID; IGNITION SOURCES.		
POSSIBILITY OF HAZARDOUS REACTION; VERY LOW WHEN DEVICE IS SHUNTED OR SHORT CIRCUITED. LOW POSSIBILITY WHEN UN-SHUNTED.		
REACTIVITY; LOOSE COMPOSITION IS VERY REACTIVE TO SOURCES OF IGNITION.		
HAZARDOUS DECOMPOSITION; DECOMPOSITION DOES NOT OCCUR UNDER NORMAL CIRCUMSTANCES DURING STORAGE, TRANSPORT AND HANDLING. UPON FUNCTIONING, THIS DEVICE CAN PRODUCE NITRATES AND OTHER OXIDES.		

SECTION XI: TOXICOLOGICAL INFORMATION

CARCINOGENICITY - IARC; THESE DEVICES MAY CONTAIN KNOWN OR SUSPECTED CARCINOGENS. THE FOLLOWING LIST OF CHEMICALS ARE CLASSIFIABLE AND YOU SHOULD REFER TO SPECIFIC MSDS FOR ADDITIONAL INFORMATION; POTASSIUM DICHROMATE SARAN RESIN PVC, (CHLOROETHYLENE, POLYMER)	CARCINOGENICITY - ACGIH; THESE DEVICES MAY CONTAIN KNOWN OR SUSPECTED CARCINOGENS. THE FOLLOWING LIST OF CHEMICALS ARE CLASSIFIABLE AND YOU SHOULD REFER TO SPECIFIC MSDS FOR ADDITIONAL INFORMATION; BORIC ACID
ROUTES OF ENTRY; (ONLY SPILLED COMPOSITIONS) INHALATION & INGESTION	
MEASURES OF TOXICITY; (INGREDIENTS ONLY) MAGNESIUM - (ORAL), LD50 (RAT) 230 MG/KG POTASSIUM NITRATE - (ORAL), LD50 (RAT) 3015 MG/KG SULFUR - (INHALATION), LC50 (RAT) >9.23 MG/L/4H, (ORAL), LD50 (RAT) >3000 MG/KG; (DERMAL), LD50 (RABBIT)>2000 MG/KG AMMONIUM PERCHLORATE - (ORAL), LD50 (RAT) 4200 MG/KG CHARCOAL - (ORAL), LD50 (RAT) >10,000 MG/KG POTASSIUM DICHROMATE - (ORAL) LD50 (RAT) 25 MG/KG; (DERMAL), LD50 (RABBIT) 14 MG/KG	



184 McNALEY ROAD
COLUMBUS, MT 59019
(406)322-1303

NEXT FX, INC. SAFETY DATA SHEET

STROBE FLARE & FLARES, (ALL COLORS)

BORIC ACID - (INHALATION), LC50 (RAT) >0.16 MG/L/4H, (ORAL), LD50 (RAT) 2660 MG/KG: (DERMAL), LD50 (RABBIT)>2000 MG/KG ANTIMONY SULFIDE - (INHALATION), LC50 (RAT) >5.04 MG/L/4H, (ORAL), LD50 (RAT) >2000 MG/KG: (DERMAL), LD50 (RAT)>2000 MG/KG BARIUM CARBONATE - (ORAL), LD50 (RAT) 418 MG/KG SODIUM BICARBONATE - (ORAL), LD50 (RAT) 4220 MG/KG CALCIUM CARBONATE - (ORAL), LD50 (RAT) 6450 MG/KG STRONTIUM NITRATE - (ORAL), LD50 (RAT) 1892 MG/KG BARIUM NITRATE - (ORAL), LD50 (RAT) 355 MG/KG COPPER CARBONATE - (ORAL), LD50 (RAT) 1350 MG/KG POTASSIUM SULFATE - (ORAL), LD50 (RAT) 6600 MG/KG SODIUM SULFATE - (ORAL), LD50 (RAT) >10,000 MG/KG	
CHRONIC EFFECTS ON HUMANS; (INGREDIENTS ONLY) (SEE INGREDIENT SDS)	ACUTE EFFECTS ON HUMANS; (INGREDIENTS ONLY) (SEE INGREDIENT SDS)
OTHER TOXIC EFFECTS ON HUMANS; (SKIN CORROSION/IRRITATION, EYE DAMAGE/IRRITATION, RESPIRATORY OR SKIN SENSITIZER, OR ASPIRATION HAZARDS) N/A	
GERM CELL MUTAGENICITY; N/A	REPRODUCTIVE TOXICITY; N/A
STOT - SINGLE EXPOSURE; N/A	STOT - REPEATED EXPOSURE; N/A
SYMPTOMS OF OVEREXPOSURE; NO OVEREXPOSURE HAZARDS ASSOCIATED WITH THE DEVICE OR PRODUCT. SMOKE INHALATION CAN CAUSE RESPIRATORY DISTRESS AND/OR IRRITATION IF USED IN POORLY VENTILATED OR CONFINED SPACE.	

SECTION XII: ECOLOGICAL INFORMATION

ECOTOXICITY; THE FOLLOWING LIST OF CHEMICALS MAY HAVE ADDITIONAL ECOTOXICITY INFORMATION ON THEIR SPECIFIC MSDS; SULFUR POTASSIUM DICHROMATE BORIC ACID BARIUM CARBONATE POTASSIUM SULFATE SODIUM SULFATE	BOD5 & COD; NOT AVAILABLE
PRODUCTS OF DEGRADATION; POSSIBLY HAZARDOUS SHORT TERM, DEGRADATION PRODUCTS ARE NOT LIKELY.	
TOXICITY OF THE PRODUCTS OF BIODEGRADATION: THE PRODUCTS OF DEGRADATION ARE LESS TOXIC THAN THE PRODUCT ITSELF.	
OTHER ADVERSE AFFECTS; NOT AVAILABLE	
BIOACCUMULATION; N/A	MOBILITY IN SOIL; N/A



184 MCNALEY ROAD
COLUMBUS, MT 59019
(406)322-1303

NEXT FX, INC. SAFETY DATA SHEET

STROBE FLARE & FLARES, (ALL COLORS) SECTION XIII: DISPOSAL CONSIDERATIONS:

EPA WASTE CODES APPLICABLE;

UNUSED DEVICES WILL EXHIBIT THE CHARACTERISTICS OF REACTIVITY IN ACCORDANCE WITH 40 CFR. D003 WOULD BE APPLICABLE IF DEVICES ARE CONSIDERED WASTE.

WASTE DISPOSAL;

WASTES MUST BE DISPOSED OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. AS STATED ABOVE, UNUSED DEVICE DOES EXHIBIT A RCRA CHARACTERISTIC AS DEPICTED BY 40 CFR AND/OR OTHER INTERNATIONAL REGULATIONS. BEST SUITED FOR INCINERATION AT A LICENSED EXPERIENCED DISPOSAL FACILITY. USED DEVICES MAY BE DISPOSED OF IN STANDARD REFUSE CONTAINER.

SECTION XIV: TRANSPORTATION INFORMATION

DOT CLASSIFICATION & UN IDENTIFICATION;

**CLASS 1.4G - UN0431
EXPLOSIVE**

PROPER SHIPPING NAME & TECHNICAL NAME;

ARTICLES, PYROTECHNIC

SPECIAL PROVISIONS FOR TRANSPORT;

IN CASE OF AN ACCIDENT, THE ERG SHOULD BE CONSULTED FOR EMERGENCY PROCEDURES. EVACUATION WILL BE NECESSARY IF ACCIDENT HAS INVOLVED MULTIPLE DEVICES IN A FIRE OR THE POTENTIAL FOR A FIRE EXISTS.

SECTION XV: REGULATORY INFORMATION:

FEDERAL & STATE REGULATIONS;

REGULATIONS GOVERNING THE MANUFACTURING, USE AND SALE OF PYROTECHNICS AND/OR CHEMICALS ARE APPLICABLE TO THIS PRODUCT LINE. PLEASE CONTACT YOUR DISTRIBUTOR OR THE MANUFACTURER FOR SPECIFIC REGULATIONS IF YOU HAVE QUESTIONS.

OTHER REGULATIONS;

OSHA: HAZARDOUS BY DEFINITION OF HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200). EINECS: SOME OF THE COMPOSITIONAL INGREDIENTS ARE ON THE EUROPEAN INVENTORY OF EXISTING COMMERCIAL CHEMICAL SUBSTANCES. INGREDIENTS MAY HAVE SPECIFIC FEDERAL, STATE OR LOCAL REGULATIONS GOVERNING THRESHOLDS AND HANDLING PROCEDURES AND ONLY APPLY TO THE MANUFACTURING OF THESE ITEMS. IF ONE OF THE INGREDIENTS IN THESE DEVICES IS POTASSIUM PERCHLORATE, THE STATE OF CALIFORNIA REQUIRES THAT THIS WARNING BE GIVEN - "SOME PRODUCTS MAY CONTAIN PERCHLORATES. SPECIAL HANDLING MAY APPLY!"

SEE WWW.DTSC.CA.GOV/HAZARDOUSWASTE/PERCHLORATE."



184 MCNALEY ROAD
COLUMBUS, MT 59019
(406)322-1303

NEXT FX, INC. SAFETY DATA SHEET

STROBE FLARE & FLARES, (ALL COLORS) SECTION XVI: OTHER INFORMATION

THE INFORMATION ABOVE IS BELIEVED TO BE ACCURATE AND REPRESENTS THE BEST INFORMATION CURRENTLY AVAILABLE TO US. HOWEVER, WE MAKE NO WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, WITH RESPECT TO SUCH INFORMATION, AND WE ASSUME NO LIABILITY RESULTING FROM ITS USE. USERS SHOULD MAKE THEIR OWN INVESTIGATIONS TO DETERMINE THE SUITABILITY OF THE INFORMATION FOR THEIR PARTICULAR PURPOSES. IN NO EVENT SHALL NEXT FX, INC. OR ITS AFFILIATES BE LIABLE FOR ANY CLAIMS, LOSSES, OR DAMAGES OF ANY THIRD PARTY OR FOR LOST PROFITS OR ANY SPECIAL, INDIRECT, INCIDENTAL, CONSEQUENTIAL OR EXEMPLARY DAMAGES, HOWSOEVER ARISING, EVEN IF NEXT FX, INC. AFFILIATES OR CONSULTANTS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

DATE PREPARED;
18 SEPT. 2013

PREPARED BY;
DENNIS SLICER

TELEPHONE NUMBER;
(406)322-1304